Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("4944998").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖFF	2006/02/24 07:46
S2	2	("4826912").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 13:19
<b>S3</b>	2.	("5317476").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/23 15:22
S4	2	"20020092252"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:59
<b>S</b> 5	33225	abrasion near resistant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:19
S6	792	balance near layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 08:54
<b>S7</b>	26	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:23
<b>S8</b>	10	"1264946"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:40

S9	13	"864712"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:41
S10	146	"1001111"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:42
S11	2	("5103614").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/23 15:42
S12	2	"11035720"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:44
S13	194684	decor or decorative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:44
S14	94801	overlay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:44
S15	245521	elastomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:44
<b>S16</b>	35	S13 same S14 same S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:45

S17	4	"9731775"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 07:47
S18	33	"329154"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 08:49
S19	2	("4940503").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 07:49
S20	2	"11035720"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 07:50
S21	2	("5827462").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 07:50
S22	33225	abrasion near resistant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 08:12
S23	3037	elastomer same (warp or warped or warping or curl or curled or curling or dampen or dampened or dampening or soundproof or soundproofed or soundproofing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 08:12
<b>S24</b>	77	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2006/02/24:11:05

S25	842	S22 same elastomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 08:12
S26	610	S22 same (warp or warped or warping or curl or curled or curling or dampen or dampened or dampening or soundproof or soundproofed or soundproofing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 08:27
S27	56	S26 and elastomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 08:12
S28	78	S22 and (board same (warp or warped or warping or curl or curled or curling or dampen or dampened or dampening or soundproof or soundproofed or soundproofing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 08:25
S30	28	"02704"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 08:29
<b>S31</b>	1	WO02/47906	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 08:29
S32	489	sjoberg.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 08:29
<b>S33</b>	13	S32 and elastomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ΘN	2006/02/24 10:51

S35	150	S22 and ((adhesive or glue or resin) same conductive same (carbon near (black or fiber or fibre)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 10:55
S36	3	(floor or flooring) and (decor or decorative) and ((adhesive or glue or resin) near10 conductive near10 (carbon near (black or fiber or fibre)) near10 (static or electrostatic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 10:57
S38	43	S22 and (static same conductive same (carbon near (fiber or fibre or black)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 10:58
S39	<b>.</b>	("5244721").URPN.	USPAT	OR	ON	2006/02/24 10:59
S40	4	("4540624"   "4724187"   "4784908"   "4891264").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/24 11:00
S41	5	(''4784908'').URPN.	USPAT	OR	ON	2006/02/24 11:03
S42	3	("4379194"   "4395452"   "4480001").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/24 11:03
S43	7	("4480001");URPN.	USPAT	OR	ON	2006/02/24 11:04
S49	176	S22 and (static near5 (dissipate or dissipated or dissipating or dissipation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:12
S51	5	elastomeric near10 (static near5 (dissipate or dissipated or dissipating or dissipation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:12
S52	42	elastomeric same (static near5 (dissipate or dissipated or dissipating or dissipation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:13

S55	792	balance near layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:15
S56	2	S55 same elastomeric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:15
S57	123	S55 and (floor or flooring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:22
S58	2	"2000170361"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:28
S59	4	("4307144").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:51
S60	4	(elastomer same (compression near coefficient) same density) and (floor or flooring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2006/02/24:12:35
S64	159376	polyvinyl near chloride	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 13:01
S65	129451	pvc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24:13:01

S66	246880	S64 S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 13:01
S67	137	S66 same static same (carbon near (black or fiber or fibre))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖX	2006/02/24 13:40
S68	9	("5066422").URPN.	USPAT	OR	ON	2006/02/24 13:36
S69	2	("4228650"   "4374760").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/24 13:37
S70	20	("4484250").URPN.	USPAT	OR	ON	2006/02/24 13:37
S71	9893	overlay and (static or anti-static)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 13:40
S72	26	(overlay same decor) and (static or anti-static)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 13:40
\$73	2	("4724187");PN:	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:53
S74	3	("3196315").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:53
S75	5	("3551270"   "3567563"   "5238260").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/24 13:58
S76	2	("5879781").URPN.	USPAT	OR	ON	2006/02/24 13:58

S77	330	pergo	US-PGPUB;	OR	ON	2006/02/24 14:05
		F 9°	USPAT; USOCR; EPO; JPO; DERWENT;			
			IBM_TDB			
S78	23	S77 and (static or antistatic or anti-static)	US-PGPUB; USPAT; USOCR;	OR	ON	2006/02/24 14:07
			EPO; JPO; DERWENT; IBM_TDB			
S79	295	(pvc or (polyvinyl near chloride)) same (carbon near (fiber or fibre or black)) same (static or antistatic or anti-static)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/02/24 14:25
		Danis yang manyonin ang bang at mamana and mamananan sa ka	IBM_TDB	274,77882777.2877888.40888		
S80	77	S79 and (floor or flooring or decorative or tile or decor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/02/24 14:16
601		////C70075// L ((C22/400/4/) DN	IBM_TDB			
S81	2	("4670075"   "6224804").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/24 14:10
S85	176	(electroconductive near (adhesive or resin or glue)) and (floor or flooring or decorative or tile or decor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:20
S87	10	elastomer and (decor same overlay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:02
S88	18	elastomer and decor and melamine	US-PGPUB; USPAT; USOCR;	OR	ON	2006/02/24 14:23
			EPO; JPO; DERWENT; IBM_TDB			

S89	50	static and decor and melamine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:25
S90	11431	(pvc or (polyvinyl near chloride)) same elastomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/02/24 14:25
S92	5761	(pvc or (polyvinyl near chloride)) near10 elastomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:25
S93	663	S92 and (floor or flooring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:25
S94	92	S92 and (floor or flooring) and (decor or decorative)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:26
S95	<b></b>	("4446179"   "5024880"   "5554686").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/24 14:58
S96	28	rubber and (decor same overlay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:07
S97	13605	(rubber or elastomer) same (curl or curled or curling or warp or warped or warping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:08

Page 9

S99	3688	(rubber or elastomer) near20 (curl or curled or curling or warp or warped or warping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:10
S10 3	91	(rubber or elastomer) near5 (prevent or preventing) near5 (curl or curled or curling or warp or warped or warping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:12
S10 4	0	(polyvinyl near chloride) same (elasticity near compression near coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 08:50
S10 5	3	(polyvinyl near chloride) same (elasticity near compression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:56
S10 6	793	balance near layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:26
\$10 7	123	S106 and (floor or flooring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2006/02/27 08:54
S10 8	5	("4944998").URPN.	USPAT	OR	ON	2006/02/27 09:04
S10 9	20	("4145327"   "4301040"   "4322469"   "4490433"   "4491894"   "4618630"   "4658958"   "4699677"   "4806571"   "4826912"   "4885659"   "4900777"   "4902573"   "4944998"   "4961921"   "4981544"   "5004562"   "5043839"   "5182169"   "5238975").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/27 09:07

S11 0	14	("4208696"   "4312913"   "4363071"   "4435465"   "4459334"   "4464432"   "4472471"   "4478771"   "4486490"   "4500591"   "4508776"   "4590120"   "4657807"   "4710415").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/27 09:52
S11 1	12	("4885659").URPN.	USPAT	OR	ON	2006/02/27 09:52
S11 2	5	("5717015").URPN.	USPAT	OR	ON	2006/02/27 09:54
S11 4	89	(polyvinyl near chloride) same (carbon near black) same (carbon near fiber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:59
S11 5	153	(polyvinyl near chloride) and ((carbon near black) same (carbon near fiber)) and (floor or flooring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:11
S11 6	45	(adhesive or glue or resin) same (carbon near black) same (carbon near (fiber or fibre)) same (floor or flooring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:16
S11 7	41	(electroconductive near (adhesive or glue or resin)) same (floor or flooring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:17
S11 8	13	("4770916").URPN.	USPAT	OR	ON	2006/02/27 10:56
S11 9	2	("6793299").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 12:46
S12 2	6	("2680700"   "4030955"   "4557778"   "4689102"   "4816314").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/27 13:02

S12 4	195	(abrasion near resistant) and ((cut or cutting) near5 panel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:09
S12 5	91	((decor or decorative) near paper) and ((cut or cutting) near5 panel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:10
S12 6	27	((decor or decorative) near paper) and ((cut or cutting) near5 panel) and (groove same tongue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:10
S12 7	8	((decor or decorative) near paper) and (((cut or cutting) near5 panel) same (groove same tongue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:12
S12 8	126	moebus.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:12
S12 9	19	S128 and panel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:15
S13 0	10	"906994"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:15
S13 5	3550	(balance or balancing) near (sheet or web or layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:26

S13 6	48	S135 and (abrasion near resistant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:32
S13 7	76	S135 same (elastomer or rubber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:35
S13 8	16188	(polyvinyl near chloride) near10 (elastomer or rubber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:36
S13 9	35	S138 and decor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:36
S14 0	4984	(428/339,535,537.1,537.5).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 13:19
S14 1	1207	S140 and (elastomer or elastic or elastomeric or rubber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:12
S14 3	2	("6893713").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 14:12